

102

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/646,689	NISHIMURA, TAKASHI	
	<b>Examiner</b>	<b>Art Unit</b>	
	Jack Dinh	2873	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 08/25/03.
2. ☒ The allowed claim(s) is/are 1-59.
3. ☐ The drawings filed on \_\_\_\_\_ are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☒ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  6. ☒ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 0904.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                    |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|   | 9. <input type="checkbox"/> Other _____.   |

  
 Georgia Epps  
 Supervisory Patent Examiner

## **DETAILED ACTION**

### ***Drawings***

1. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application.

The drawings filed on 08/25/03 were considered for examination purposes only. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application. Applicant is advised to employ the services of a competent patent draftsman outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application.

## **REASONS FOR ALLOWANCE**

2. Claims 1-59 are allowed. The following is a statement of the examiner's reasons for allowance. The present invention relates to a rod lens, a line-beam generating optical system equipped with the rod lens for generating a line beam, and a laser marking apparatus equipped with the line-beam generating optical system. More specifically, independent claim 1 reads discloses a novel rod lens by its unique structural configuration comprising a reflecting portion generating a reflected light by reflecting at least a portion of an incident light, a cylindrical shape rod lens main body transmits at least a remaining portion of the incident light, wherein the reflecting portion and the rod lens main body cooperating to generate a line beam made from both of the reflected light and the transmitted light. Independent claims 16, 40, 43, 45, 58 and 59

Art Unit: 2873

are directed to line-beam generating optical systems equipped with the rod lens for generating a line beam, and laser marking apparatuses equipped with the line-beam generating optical system, all of which include the novel limitations as described above. The claimed invention is therefore considered to be in condition for allowance as being novel and non-obvious over prior art.

3. The prior art taken either singly or in combination fails to anticipate or fairly suggest the limitations of the independent claims, in such a manner that a rejection under 35 USC 102 or 103 would be improper. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### **EXAMINER'S COMMENTS**

4. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application, for the reasons described above

#### ***Other Information/Remarks***

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Ohtomo et al. (U.S. Patent 6,679,609) and Rando (U.S. Patent 5,872,657) discloses construction laser irradiating devices that use cylindrical lens.

Art Unit: 2873

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jack Dinh whose telephone number is 571-272-2327. The examiner can normally be reached on M-F (9:30 AM - 6:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Y Epps can be reached on 571-272-2328. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jack Dinh

  
Georgia Epps  
Supervisory Patent Examiner  
Technology Center 2800